

SECTION1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product code : TESORI D'ORIENTE AROMATIC REED DIFFUSER WITH STICKS WHITE MUSK

Trades code :

UFI: 5P50-C05K-Q00C-A1HU

1.2. Relevant identified uses of the substance or mixture and uses advised against

Air freshener

Sectors of use:

Private households (= general public = consumers)[SU21]

Uses advised against

Do not use for purposes other than those listed

1.3. Details of the supplier of the safety data sheet

SODALIS ITALY SRL

Via Solferino, 7 - 20121 Milano (MI), Italy

Tel. +39 0371.4621

e-mail : info@sodalisgroup.com

SITO WEB : <https://sodalisgroup.com/>

1.4. Emergency telephone number

+39 0371.4621 (8:00 - 18:00)

<https://poisoncentres.echa.europa.eu/appointed-bodies>

SECTION2. Hazards identification

2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:
GHS02, GHS07

Hazard Class and Category Code(s):
Flam. Liq. 2, Skin Sens. 1A, Eye Irrit. 2, Aquatic Chronic 3

Hazard statement Code(s):

H225 - Highly flammable liquid and vapour.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H412 - Harmful to aquatic life with long lasting effects.

The product easy inflames if subordinate to an ignition source.
If brought into contact with eyes, the product, causes significant irritations which may last for more than 24 hours.
The product, if brought into contact with skin can cause skin sensitization.
The product is dangerous to the environment as it is harmful to aquatic life with long lasting effects

2.1.2 Additional information:

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):
GHS02, GHS07 - Danger



Hazard statement Code(s):
H225 - Highly flammable liquid and vapour.
H317 - May cause an allergic skin reaction.
H319 - Causes serious eye irritation.
H412 - Harmful to aquatic life with long lasting effects.

Supplemental Hazard statement Code(s):
not applicable

Precautionary statements:

General

P101 - If medical advice is needed, have product container or label at hand.
P102 - Keep out of reach of children.

Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 - Keep container tightly closed.

P261 - Avoid breathing vapours.

P273 - Avoid release to the environment.

Response

P302+P352 - IF ON SKIN: Wash with plenty of water and soap.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P370+P378 - In case of fire: Use carbon dioxide, foam, chemical powder, water spray to extinguish.

Storage

P403+P235 - Store in a well-ventilated place. Keep cool.

Disposal

P501 - Dispose of contents/container in conformity to local regulation

Contains:

linalool, Benzyl salicylate, Linalyl acetate, Dodecanal, 10-undecenal, 2-methylundecanal, (E)-2-methoxy-4-(prop-1-enyl)phenol

UFI: 5P50-C05K-Q00C-A1HU

2.3. Other hazards

Based on the available data, no PBT or vPvB substances are present in accordance with Regulation (EC) 1907/2006, annex XIII

Based on available data, there are no substances that interfere with the Endocrine System in accordance with Regulation (EU) 2017/2100

No information on other hazards

Packaging to be fitted with a tactile warning

SECTION3. Composition/information on ingredients

3.1 Substances

Irrilevant

3.2 Mixtures

Substance	Concentration[w/w]	Classification	Index	CAS	EINECS	REACH
Ethanol	>= 50,00 < 100%	Flam. Liq. 2, H225; Eye Irrit. 2, H319 Limits: Eye Irrit. 2, H319 %C >=50; ATE oral = 14.000,000 mg/kg ATE dermal = 20.000,000 mg/kg ATE inhal = 20.000,000 mg/l/4 h	603-002-00-5	64-17-5	200-578-6	01-211945 7610-43-X XXX
(2-Methoxymethylethoxy)propan ol substance for which there are Community workplace exposure limits	>= 1 < 5%	NC	ND	34590-94-8	252-104-2	01-211945 0011-60
Dodecanal	>= 0,1 < 1%	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Irrit. 2, H319	ND	112-54-9	203-983-6	01-211996 9441-33-X XXX
linalool	>= 0,1 < 1%	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Irrit. 2, H319 ATE oral = 2.790,000 mg/kg	ND	78-70-6	201-134-4	01-211947 4016-42-X XXX
Benzyl salicylate	>= 0,1 < 1%	Skin Sens. 1B, H317; Eye Irrit. 2, H319; Aquatic Chronic 3, H412 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1 ATE oral = 2.200,000 mg/kg	ND	118-58-1	204-262-9	01-211996 9442-31-X XXX
2-methylundecanal	>= 0,1 < 1%	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute toxicity M-factor = 1 Chronic	ND	110-41-8	203-765-0	01-211996 9443-29-xx xx

Substance	Concentration[w/w]	Classification	Index	CAS	EINECS	REACH
		toxicity M-factor = 1				
10-undecenal	>= 0,1 < 1%	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 2, H411 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1	ND	112-45-8	203-973-1	01-211999 0746-20-xx xx
Linalyl acetate	>= 0,1 < 1%	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Irrit. 2, H319	ND	115-95-7	204-116-4	01-211945 4789-19
(E)-2-methoxy-4-(prop-1-enyl)phenol (=Isoeugenol)	>= 0,01 < 0,1%	Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; Skin Sens. 1A, H317; Eye Irrit. 2, H319; Acute Tox. 4, H332; STOT SE 3, H335 Limits: Skin Sens. 1A, H317 %C >=0,01;	604-094-00-X	5932-68-3 97-54-1	227-678-2	01-212022 3682-61-xx xx

SECTION4. First aid measures

4.1. Description of first aid measures

Inhalation:

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

Direct contact with skin (of the pure product):

Take contaminated clothing Immediately off.

Wash immediately with plenty of running water and possibly with soap, the areas of the body that have, or are only suspected to have, come in contact with the product.

In case of contact with skin, wash immediately with water and soap.

Warning: This product is toxic to skin contact. Consult a physician.

Direct contact with eyes (of the pure product):

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately

Ingestion:

Not hazardous. It's possible to give activated charcoal in water or liquid paraffin medicine

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

If medical advice is needed, have product container or label at hand.

SECTION5. Firefighting measures

5.1. Extinguishing media

Advised extinguishing agents:

In the case of fire use: carbon dioxide, foam, dry chemical, water spray.

Extinguishing media to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to the fire.

Extinguishing means to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

5.2. Special hazards arising from the substance or mixture

No data available.

5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective suit.

The spray water can be used to protect the people involved in the extinction

You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

SECTION6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

Wear gloves and protective clothing

6.1.2 For emergency responders:

Wear gloves and protective clothing

Eliminate all unguarded flames and possible sources of ignition. No smoking.

Provision of sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

6.2. Environmental precautions

Contain spill with earth or sand.

If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the the authorities.

Discharge the remains in compliance with the regulations

6.3. Methods and material for containment and cleaning up

6.3.1 For containment:

Rapidly recover the product, wear a mask and protective clothing

Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material.

Prevent it from entering the sewer system.

6.3.2 For cleaning up:

After wiping up, wash with water the area and materials involved

6.3.3 Other information:

None in particular.

6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

SECTION7. Handling and storage

7.1. Precautions for safe handling

Avoid contact and inhalation of vapors
In residential areas do not use on large surfaces.
Do not smoke at work
At work do not eat or drink.
Contaminated work clothing should not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.
See also paragraph 8 below.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabeled containers.
Keep containers upright and safe by avoiding the possibility of falls or collisions.
Store in a cool place, away from sources of heat and direct exposure of sunlight.
Keep containers tightly closed.
Always store in well ventilated areas.
Never close the container tightly, leave a chance to vent
Keep away from open flames, sparks and heat sources. Avoid direct sunlight exposure.

7.3. Specific end use(s)

Private households (= general public = consumers):
STORE IN A COOL, DRY PLACE PROTECTED FROM LIGHT AND HEAT SOURCE

SECTION8. Exposure controls/personal protection

8.1. Control parameters

- Substance: Ethanol

EFFECTS OF SHORT-TERM EXPOSURE: The substance is irritating to the eyes. Inhalation of high vapor concentrations may cause irritation of the eyes and respiratory tract. The substance may cause effects on the central nervous system.

EFFECTS OF LONG-TERM OR REPEATED EXPOSURE: The liquid defats the skin. The substance may have effects on the upper respiratory tract and the central nervous system, resulting in irritation, headache, tiredness, and lack of concentration. Ethanol consumption during pregnancy may have adverse effects on the unborn child. Chronic ingestion of ethanol can cause liver cirrhosis.

ACUTE RISKS/SYMPOTMS:

INHALATION: Cough. Headache. Tiredness. Drowsiness.

SKIN: Dry skin.

EYES: Redness. Pain. Burning.

INGESTION: Burning sensation. Headache. Confusion. Dizziness. Unconsciousness.

DNEL

Systemic effects Long term Workers inhalation = 950 (mg/m³)

Systemic effects Long term Workers dermal = 343 (mg/kg bw/day)

Systemic effects Long term Consumers inhalation = 114 (mg/m³)

Systemic effects Long term Consumers dermal = 206 (mg/kg bw/day)

Systemic effects Long term Consumers oral = 87 (mg/kg bw/day)

PNEC

Sweet water = 0,96 (mg/l)

sediment Sweet water = 3,6 (mg/kg/sediment)

Sea water = 0,79 (mg/l)

sediment Sea water = 2,9 (mg/kg/sediment)

STP = 580 (mg/l)

ground = 0,63 (mg/kg ground)

8.2. Exposure controls

Appropriate engineering controls:

Private households (= general public = consumers):

None



Individual protection measures:

(a) Eye / face protection

Not needed for normal use.

(b) Skin protection

(i) Hand protection

When handling the pure product use chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3)

(ii) Other

Wear normal work clothing.

(c) Respiratory protection

Not needed for normal use.

(d) Thermal hazards

No hazard to report

Environmental exposure controls:

Use according to good working practices to avoid pollution into the environment.

SECTION9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Physical state	clear liquid	
Colour	amber	
Odour	characteristic	
Odour threshold	not determined	
Melting point/freezing point	not determined	
Boiling point or initial boiling point and boiling range	78 °C	
Flammability	flammable	
Lower and upper explosion limit	not determined	
Flash point	15 °C	
Auto-ignition temperature	not determined	
Decomposition temperature	not determined	
pH	not determined	
Kinematic viscosity	not determined	
Solubility	not determined	
Water solubility	not determined	
Partition coefficient n-octanol/water (log value)	not determined	
Vapour pressure	not determined	
Density and/or relative density	0.815 g/ml	
Relative vapour density	not determined	
Particle characteristics	irrelevant	

9.2. Other information

9.2.1 Information with regard to physical hazard classes

a) Explosives

i) sensitivity to shock

Irrilevant

ii) effect of heating under confinement

Irrilevant

iii) effect of ignition under confinement

Irrilevant

iv) sensitivity to impact

Irrilevant

v) sensitivity to friction

Irrilevant

vi) thermal stability

Irrilevant

vii) package

Irrilevant

b) Flammable gases

i) Tci / explosion limits

Irrilevant

ii) fundamental burning velocity

Irrilevant

c) Aerosols

Irrilevant

d) Oxidising gases

Irrilevant

e) Gases under pressure

Irrilevant

f) Flammable liquids

Irrilevant

g) Flammable solids

i) burning rate, or burning time as regards metal powders

Irrilevant

ii) statement on whether the wetted zone has been passed

Irrilevant

h) Self-reactive substances and mixtures

i) decomposition temperature

Irrilevant

ii) detonation properties

Irrilevant

iii) deflagration properties

Irrilevant

iv) effect of heating under confinement

Irrilevant

v) explosive power, if applicable

Irrilevant

i) Pyrophoric liquids

Irrilevant

j) Pyrophoric solids

i) statement on whether spontaneous ignition occurs when poured or within five minutes thereafter, as regards solids in powder form

Irrilevant

ii) statement on whether pyrophoric properties could change over time

Irrilevant

k) Self-heating substances and mixtures

i) statement on whether spontaneous ignition occurs and the maximum temperature rise obtained

Irrilevant

ii) results of screening tests referred to in section 2.11.4.2 of Annex I to Regulation (EC) No 1272/2008, if relevant and available

Irrilevant

l) Substances and mixtures, which emit flammable gases in contact with water. The following information may be provided

i) identity of the emitted gas, if known

Irrilevant

ii) statement on whether the emitted gas ignites spontaneously

Irrilevant

iii) gas evolution rate

Irrilevant

m) Oxidising liquids

Irrilevant

n) Oxidizing solids

Irrilevant

o) Organic peroxides

i) decomposition temperature
Irrelevant

ii) detonation properties
Irrelevant

iii) deflagration properties
Irrelevant

iv) effect of heating under confinement
Irrelevant

v) explosive power
Irrelevant

p) Corrosive to metals

i) metals that are corroded by the substance or mixture
Irrelevant

ii) corrosion rate and statement on whether it refers to steel or aluminium
Irrelevant

iii) reference to other sections of the safety data sheet with regard to compatible or incompatible materials
Irrelevant

q) Desensitised explosives

i) desensitising agent used
Irrelevant

ii) exothermic decomposition energy
Irrelevant

iii) corrected burning rate (Ac)
Irrelevant

iv) explosive properties of the desensitised explosive in that state
Irrelevant

9.2.2 Other safety characteristics

a) mechanical sensitivity
Irrelevant

b) self-accelerating polymerisation temperature
Irrelevant

c) formation of explosive dust/air mixtures
Irrelevant

d) acid/alkaline reserve
Irrelevant

e) evaporation rate
Irrelevant

f) miscibility
Irrelevant

g) conductivity
Irrelevant

h) corrosiveness
Irrelevant

i) gas group
Irrelevant

j) redox potential
Irrelevant

k) radical formation potential
Irrelevant

l) photocatalytic properties
Irrelevant

SECTION10. Stability and reactivity

10.1. Reactivity

No reactivity hazards

10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

10.3. Possibility of hazardous reactions

There are no hazardous reactions

10.4. Conditions to avoid

Avoid contact with combustible materials. The product could catch fire.
Avoid heat, open flames, sparks or hot surfaces.

10.5. Incompatible materials

It can generate inflammable gases to contact with elementary metals, nitrides, strong reducing agents.
It can ignite in contact with oxidants mineral acids, elementary metals, nitrides, organic peroxides, organic water peroxides, oxidizing and reducing agents.

10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

SECTION11. Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

ATE(mix) oral = 179.068,0 mg/kg

ATE(mix) dermal = ∞
ATE(mix) inhal = ∞

- (a) acute toxicity: based on available data, the classification criteria are not met.
- (b) skin corrosion/irritation: based on available data, the classification criteria are not met.
- (c) serious eye damage/irritation: If brought into contact with eyes, the product, causes significant irritations which may last for more than 24 hours.
- (d) respiratory or skin sensitisation: The product, if brought into contact with skin can cause skin sensitization.
- (e) germ cell mutagenicity: based on available data, the classification criteria are not met.
- (f) carcinogenicity: based on available data, the classification criteria are not met.
- (g) reproductive toxicity: based on available data, the classification criteria are not met.
- (h) specific target organ toxicity (STOT) single exposure: based on available data, the classification criteria are not met.
- (i) specific target organ toxicity (STOT) repeated exposure based on available data, the classification criteria are not met.
- (j) aspiration hazard: based on available data, the classification criteria are not met.

Related to contained substances:

Ethanol:

LD50 (rat) Oral (mg/kg body weight) = 14000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 20000

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 20000

linalool:

LD50 (rat) Oral (mg/kg body weight) = 2790

Benzyl salicylate:

LD50 (rat) Oral (mg/kg body weight) = 2200

11.2. Information on other hazards

No data available.

11.2.1. Endocrine disrupting properties

Based on available data, there are no substances that interfere with the Endocrine System in accordance with Regulation (EU) 2017/2100

SECTION12. Ecological information

12.1. Toxicity

The product is dangerous for the environment as it is toxic for aquatic organisms following acute exposure.

Use according to good working practices to avoid pollution into the environment.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

Based on the available data, no PBT or vPvB substances are present in accordance with Regulation (EC) 1907/2006, annex XIII

12.6. Endocrine disrupting properties

Based on available data, there are no substances that interfere with the Endocrine System in accordance with Regulation (EU) 2017/2100

12.7. Other adverse effects

No adverse effects

SECTION13. Disposal considerations

13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies. Recover if possible. Send to authorized discharge plants or for incineration under controlled conditions. Operate according to local and National rules in force

SECTION14. Transport information

14.1. UN number or ID number

ADR/RID/IMDG/ICAO-IATA: 1266



ADR exemption because compliance with the following characteristics:
Combination packagings: per inner packaging 5 L per package 30 kg
Inner packagings placed in skrink-wrapped or stretch-wrapped trays: per inner packaging 5 L per package 20 kg

14.2. UN proper shipping name

ADR/RID/IMDG: PRODOTTI PER PROFUMERIA contenenti solventi infiammabili

ADR/RID/IMDG: PERFUMERY PRODUCTS with flammable solvents

ICAO-IATA: PERFUMERY PRODUCTS with flammable solvents

14.3. Transport hazard class(es)

ADR/RID/IMDG/ICAO-IATA: Class : 3

ADR/RID/IMDG/ICAO-IATA: Label : Limited quantities

ADR: Tunnel restriction code : D/E

ADR/RID/IMDG/ICAO-IATA: Limited quantities : 5 L

IMDG - EmS : F-E, S-D

14.4. Packing group

ADR/RID/IMDG/ICAO-IATA: II

14.5. Environmental hazards

ADR/RID/ICAO-IATA: Product is not environmentally hazardous

IMDG: Marine polluting agent : Not

14.6. Special precautions for user

No data available.

14.7. Maritime transport in bulk according to IMO instruments

It is not intended to carry bulk

SECTION15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso category:

P5c - FLAMMABLE LIQUIDS

REGULATION (EU) No 1357/2014 - waste:

HP3 - Flammable

HP4 - Irritant — skin irritation and eye damage

Substances in the Candidate List (REACH Article 59)

Based on available data, no SVHC substances are present

15.2. Chemical safety assessment

No chemical safety assessment was carried out by the supplier

SECTION16. Other information

16.1. Other information

Description of the hazard statements exposed to point 3

H225 = Highly flammable liquid and vapour.

H319 = Causes serious eye irritation.

H315 = Causes skin irritation.

H317 = May cause an allergic skin reaction.

H412 = Harmful to aquatic life with long lasting effects.

H400 = Very toxic to aquatic life.

H410 = Very toxic to aquatic life with long lasting effects.

H411 = Toxic to aquatic life with long lasting effects.

H302 = Harmful if swallowed.

H312 = Harmful in contact with skin.

H332 = Harmful if inhaled.

H335 = May cause respiratory irritation.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008

H225 - Highly flammable liquid and vapour. Classification procedure: On basis of test data

H317 - May cause an allergic skin reaction. Classification procedure: Calculation method

H319 - Causes serious eye irritation. Classification procedure: Calculation method

H412 - Harmful to aquatic life with long lasting effects. Classification procedure: Calculation method