

## **SECTION1. Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

Product code : TESORI D'ORIENTE AYURVEDA AROMATIC REED DIFFUSER WITH STICKS

Trades code :

UFI: SR50-U0V0-000U-YD3W

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

Air freshener

Sectors of use:

Private households (= general public = consumers)[SU21]

Uses advised against

Do not use for purposes other than those listed

### **1.3. Details of the supplier of the safety data sheet**

SODALIS ITALY SRL

Via Solferino, 7 - 20121 Milano (MI), Italy

Tel. +39 0371.4621

e-mail : [info@sodalisgroup.com](mailto:info@sodalisgroup.com)

SITO WEB : <https://sodalisgroup.com/>

### **1.4. Emergency telephone number**

+39 0371.4621 (8:00 - 18:00)

<https://poisoncentres.echa.europa.eu/appointed-bodies>

## **SECTION2. Hazards identification**

### **2.1. Classification of the substance or mixture**

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:

GHS02, GHS07

Hazard Class and Category Code(s):

Flam. Liq. 2, Eye Irrit. 2, Aquatic Chronic 3

Hazard statement Code(s):

H225 - Highly flammable liquid and vapour.

H319 - Causes serious eye irritation.

H412 - Harmful to aquatic life with long lasting effects.

The product easy inflames if subordinate to an ignition source.

If brought into contact with eyes, the product, causes significant irritations which may last for more than 24 hours.

The product is dangerous to the environment as it is harmful to aquatic life with long lasting effects

2.1.2 Additional information:

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

## 2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):  
GHS02, GHS07 - Danger



Hazard statement Code(s):

H225 - Highly flammable liquid and vapour.  
H319 - Causes serious eye irritation.  
H412 - Harmful to aquatic life with long lasting effects.

Supplemental Hazard statement Code(s):

EUH208 - Contains linalool, (R)-p-mentha-1,8-diene, Linalyl acetate, 3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one, citral,  $\alpha$ -Methyl-1,3-benzodioxole-5-propionaldehyde,  $\alpha$ -Hexylcinnamaldehyde, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one. May produce an allergic reaction.

Precautionary statements:

General

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 - Keep container tightly closed.

P273 - Avoid release to the environment.

Response

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P370+P378 - In case of fire: Use carbon dioxide, foam, dry chemical to extinguish.

Storage

P403+P235 - Store in a well-ventilated place. Keep cool.

Disposal

P501 - Dispose of contents/container in conformity to local regulation

UFI: SR50-U0V0-000U-YD3W

## 2.3. Other hazards

Based on the available data, no PBT or vPvB substances are present in accordance with Regulation (EC) 1907/2006, annex XIII

Based on available data, there are no substances that interfere with the Endocrine System in accordance with Regulation (EU) 2017/2100

No information on other hazards

Packaging to be fitted with a tactile warning

## SECTION3. Composition/information on ingredients

### 3.1 Substances

Irrilevant

### 3.2 Mixtures

Substance	Concentration[ w/w]	Classification	Index	CAS	EINECS	REACH
Ethanol	>= 50,00 < 100%	Flam. Liq. 2, H225; Eye Irrit. 2, H319 Limits: Eye Irrit. 2, H319 %C >=50; ATE oral = 14.000,000 mg/kg ATE dermal = 20.000,000 mg/kg ATE inhal = 20.000,000 mg/l/4 h	603-002-00-5	64-17-5	200-578-6	01-211945 7610-43-X XXX
(2-Methoxymethylethoxy)propanol substance for which there are Community workplace exposure limits	>= 1 < 5%	NC	ND	34590-94-8	252-104-2	01-211945 0011-60
linalool	>= 0,1 < 1,00%	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Irrit. 2, H319 ATE oral = 2.790,000 mg/kg	ND	78-70-6	201-134-4	01-211947 4016-42-X XXX
(R)-p-mentha-1,8-diene (=Limonene)	>= 0,1 < 1,00%	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1 ATE oral = 2.000,000 mg/kg ATE dermal = 5.000,000 mg/kg	601-029-00-7	5989-27-5	227-813-5	01-211952 9223-47-X XXX
Linalyl acetate	>= 0,1 < 1,00%	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Irrit. 2, H319	ND	115-95-7	204-116-4	01-211945 4789-19
α-Methyl-1,3-benzodioxole-5-propionaldehyde	>= 0,10 < 1,00%	Skin Sens. 1B, H317; Repr. 2, H361; Aquatic Chronic 2, H411 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1 ATE oral = 3.600,000 mg/kg ATE dermal > 2.000,000 mg/kg	ND	1205-17-0	214-881-6	01-212074 0119-58-xx xx

Substance	Concentration[ w/w]	Classification	Index	CAS	EINECS	REACh
(Z)-3-hexenyl salicylate	>= 0,1 < 1%	Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1 ATE oral = 2.500,000 mg/kg ATE dermal > 5.000,000 mg/kg	ND	65405-77-8	265-745-8	01-211998 7320-37-xx xx
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one (=Alpha-Isomethyl Ionone)	>= 0,1 < 1,00%	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 2, H411 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1	ND	127-51-5	204-846-3	01-212074 5133-63-00 00
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one (=Tetramethyl acetyl octahydronaphthalenes)	>= 0,1 < 1,00%	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 1, H410 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1 ATE oral > 5.000,000 mg/kg ATE dermal > 5.000,000 mg/kg	ND	54464-57-2	259-174-3	01-211948 9989-04-00 00
citral	>= 0,1 < 1,00%	Skin Irrit. 2, H315; Skin Sens. 1, H317; Eye Irrit. 2, H319	605-019-00-3	5392-40-5	226-394-6	01-211946 2829-23-xx xx
α-Hexylcinnamaldehyde	>= 0,1 < 1,00%	Skin Sens. 1, H317; Aquatic Acute 1, H400; Aquatic Chronic 2, H411 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1	ND	101-86-0 165184-98-	202-983-3	ND

## SECTION4. First aid measures

### 4.1. Description of first aid measures

#### Inhalation:

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

#### Direct contact with skin (of the pure product):

Take contaminated clothing Immediately off.

Wash immediately with plenty of running water and possibly with soap, the areas of the body that have, or are only suspected to have, come in contact with the product.

#### Direct contact with eyes (of the pure product):

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately

#### Ingestion:

Not hazardous. It's possible to give activated charcoal in water or liquid paraffin medicine

#### **4.2. Most important symptoms and effects, both acute and delayed**

No data available.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

If eye irritation persists: Get medical advice/attention.

If medical advice is needed, have product container or label at hand.

### **SECTION5. Firefighting measures**

#### **5.1. Extinguishing media**

Advised extinguishing agents:

In the case of fire use: carbon dioxide, foam, dry chemical. For leaks and spills of the product that have not ignited, water spray may be used to disperse flammable vapors and protect those working to stop the leak.

UNSUITABLE EXTINGUISHING MEDIA: Do not use water jets.

#### **5.2. Special hazards arising from the substance or mixture**

No data available.

#### **5.3. Advice for firefighters**

Use protection for the breathing apparatus

Safety helmet and full protective suit.

The spray water can be used to protect the people involved in the extinction

You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

### **SECTION6. Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

Wear gloves and protective clothing

6.1.2 For emergency responders:

Wear gloves and protective clothing

Eliminate all unguarded flames and possible sources of ignition. No smoking.

Provision of sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

#### **6.2. Environmental precautions**

Contain spill with earth or sand.

If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the the authorities.

Discharge the remains in compliance with the regulations

#### **6.3. Methods and material for containment and cleaning up**

6.3.1 For containment:

Rapidly recover the product, wear a mask and protective clothing

Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material.

Prevent it from entering the sewer system.

6.3.2 For cleaning up:

After wiping up, wash with water the area and materials involved

6.3.3 Other information:  
None in particular.

#### **6.4. Reference to other sections**

Refer to paragraphs 8 and 13 for more information

### **SECTION7. Handling and storage**

#### **7.1. Precautions for safe handling**

Avoid contact and inhalation of vapors  
Do not smoke at work  
At work do not eat or drink.  
Wear protective gloves/protective clothing/eye protection/face protection.  
See also paragraph 8 below.

#### **7.2. Conditions for safe storage, including any incompatibilities**

Keep in original container closed tightly. Do not store in open or unlabeled containers.  
Keep containers upright and safe by avoiding the possibility of falls or collisions.  
Store in a cool place, away from sources of heat and direct exposure of sunlight.  
Keep containers tightly closed.  
Always store in well ventilated areas.  
Never close the container tightly, leave a chance to vent  
Keep away from open flames, sparks and heat sources. Avoid direct sunlight exposure.

#### **7.3. Specific end use(s)**

Private households (= general public = consumers):  
STORE IN A COOL, DRY PLACE PROTECTED FROM LIGHT AND HEAT SOURCE

### **SECTION8. Exposure controls/personal protection**

#### **8.1. Control parameters**

- Substance: Ethanol

EFFECTS OF SHORT-TERM EXPOSURE: The substance is irritating to the eyes. Inhalation of high vapor concentrations may cause irritation of the eyes and respiratory tract. The substance may cause effects on the central nervous system.

EFFECTS OF LONG-TERM OR REPEATED EXPOSURE: The liquid defats the skin. The substance may have effects on the upper respiratory tract and the central nervous system, resulting in irritation, headache, tiredness, and lack of concentration. Ethanol consumption during pregnancy may have adverse effects on the unborn child. Chronic ingestion of ethanol can cause liver cirrhosis.

ACUTE RISKS/SYMPOTOMS:

INHALATION: Cough. Headache. Tiredness. Drowsiness.

SKIN: Dry skin.

EYES: Redness. Pain. Burning.

INGESTION: Burning sensation. Headache. Confusion. Dizziness. Unconsciousness.

DNEL

Systemic effects Long term Workers inhalation = 950 (mg/m<sup>3</sup>)

Systemic effects Long term Workers dermal = 343 (mg/kg bw/day)

Systemic effects Long term Consumers inhalation = 114 (mg/m<sup>3</sup>)

Systemic effects Long term Consumers dermal = 206 (mg/kg bw/day)

Systemic effects Long term Consumers oral = 87 (mg/kg bw/day)

PNEC

Sweet water = 0,96 (mg/l)

sediment Sweet water = 3,6 (mg/kg/sediment)

Sea water = 0,79 (mg/l)

sediment Sea water = 2,9 (mg/kg/sediment)

STP = 580 (mg/l)

ground = 0,63 (mg/kg ground)

- Substance: 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8,-tetramethyl-2-naphthyl)ethan-1-one (=Tetramethyl acetyl octahydronaphthalenes)

DNEL

Systemic effects Long term Workers inhalation = 1,76 (mg/m<sup>3</sup>)

Systemic effects Long term Workers dermal = 1,73 (mg/kg bw/day)

Systemic effects Long term Consumers inhalation = 0,43 (mg/m<sup>3</sup>)

Systemic effects Long term Consumers dermal = 0,86 (mg/kg bw/day)

Systemic effects Long term Consumers oral = 0,25 (mg/kg bw/day)

## 8.2. Exposure controls

Appropriate engineering controls:

Private households (= general public = consumers):

None

Individual protection measures:

(a) Eye / face protection

Not needed for normal use.

(b) Skin protection

(i) Hand protection

Not needed for normal use.

(ii) Other

Wear normal work clothing.

(c) Respiratory protection

Not needed for normal use.

(d) Thermal hazards

No hazard to report

Environmental exposure controls:

Use according to good working practices to avoid pollution into the environment.

## SECTION9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Physical state	clear liquid	
Colour	amber	
Odour	characteristic	
Odour threshold	not determined	
Melting point/freezing point	not determined	
Boiling point or initial boiling point and boiling range	not determined	
Flammability	flammable	
Lower and upper explosion limit	not determined	
Flash point	15 °C	

In conformity to Regulation (EU) 2020/878

Physical and chemical properties	Value	Determination method
Auto-ignition temperature	not determined	
Decomposition temperature	not determined	
pH	irrelevant	
Kinematic viscosity	not determined	
Solubility	not determined	
Water solubility	not determined	
Partition coefficient n-octanol/water (log value)	not determined	
Vapour pressure	not determined	
Density and/or relative density	0.815 g/ml	
Relative vapour density	not determined	
Particle characteristics	irrelevant	

## 9.2. Other information

### 9.2.1 Information with regard to physical hazard classes

a) Explosives

i) sensitivity to shock

Irrilevant

ii) effect of heating under confinement

Irrilevant

iii) effect of ignition under confinement

Irrilevant

iv) sensitivity to impact

Irrilevant

v) sensitivity to friction

Irrilevant

vi) thermal stability

Irrilevant

vii) package

Irrilevant

b) Flammable gases

i) Tci / explosion limits

Irrilevant

ii) fundamental burning velocity

Irrilevant

c) Aerosols

Irrilevant

d) Oxidising gases

Irrilevant

- e) Gases under pressure  
Irrelevant
- f) Flammable liquids  
Irrelevant
- g) Flammable solids
- i) burning rate, or burning time as regards metal powders  
Irrelevant
- ii) statement on whether the wetted zone has been passed  
Irrelevant
- h) Self-reactive substances and mixtures
- i) decomposition temperature  
Irrelevant
- ii) detonation properties  
Irrelevant
- iii) deflagration properties  
Irrelevant
- iv) effect of heating under confinement  
Irrelevant
- v) explosive power, if applicable  
Irrelevant
- i) Pyrophoric liquids  
Irrelevant
- j) Pyrophoric solids
- i) statement on whether spontaneous ignition occurs when poured or within five minutes thereafter, as regards solids in powder form  
Irrelevant
- ii) statement on whether pyrophoric properties could change over time  
Irrelevant
- k) Self-heating substances and mixtures
- i) statement on whether spontaneous ignition occurs and the maximum temperature rise obtained  
Irrelevant
- ii) results of screening tests referred to in section 2.11.4.2 of Annex I to Regulation (EC) No 1272/2008, if relevant and available  
Irrelevant
- l) Substances and mixtures, which emit flammable gases in contact with water. The following information may be provided
- i) identity of the emitted gas, if known  
Irrelevant

ii) statement on whether the emitted gas ignites spontaneously  
Irrelevant

iii) gas evolution rate  
Irrelevant

m) Oxidising liquids  
Irrelevant

n) Oxidizing solids  
Irrelevant

o) Organic peroxides

i) decomposition temperature  
Irrelevant

ii) detonation properties  
Irrelevant

iii) deflagration properties  
Irrelevant

iv) effect of heating under confinement  
Irrelevant

v) explosive power  
Irrelevant

p) Corrosive to metals

i) metals that are corroded by the substance or mixture  
Irrelevant

ii) corrosion rate and statement on whether it refers to steel or aluminium  
Irrelevant

iii) reference to other sections of the safety data sheet with regard to compatible or incompatible materials  
Irrelevant

q) Desensitised explosives

i) desensitising agent used  
Irrelevant

ii) exothermic decomposition energy  
Irrelevant

iii) corrected burning rate (Ac)  
Irrelevant

iv) explosive properties of the desensitised explosive in that state  
Irrelevant

### **9.2.2 Other safety characteristics**

a) mechanical sensitivity

Irrilevant

b) self-accelerating polymerisation temperature

Irrilevant

c) formation of explosive dust/air mixtures

Irrilevant

d) acid/alkaline reserve

Irrilevant

e) evaporation rate

Irrilevant

f) miscibility

Irrilevant

g) conductivity

Irrilevant

h) corrosiveness

Irrilevant

i) gas group

Irrilevant

j) redox potential

Irrilevant

k) radical formation potential

Irrilevant

l) photocatalytic properties

Irrilevant

## **SECTION10. Stability and reactivity**

### **10.1. Reactivity**

No reactivity hazards

### **10.2. Chemical stability**

No hazardous reaction when handled and stored according to provisions.

### **10.3. Possibility of hazardous reactions**

There are no hazardous reactions

### **10.4. Conditions to avoid**

Avoid contact with combustible materials. The product could catch fire.

Avoid heat, open flames, sparks or hot surfaces.

#### **10.5. Incompatible materials**

It can generate inflammable gases to contact with elementary metals, nitrides, strong reducing agents. It can ignite in contact with oxidants mineral acids, elementary metals, nitrides, organic peroxides, organic water peroxides, oxidizing and reducing agents.

#### **10.6. Hazardous decomposition products**

Does not decompose when used for intended uses.

### **SECTION11. Toxicological information**

#### **11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

ATE(mix) oral = ∞

ATE(mix) dermal = ∞

ATE(mix) inhal = ∞

(a) acute toxicity: based on available data, the classification criteria are not met.

(b) skin corrosion/irritation: based on available data, the classification criteria are not met.

(c) serious eye damage/irritation: If brought into contact with eyes, the product, causes significant irritations which may last for more than 24 hours.

(d) respiratory or skin sensitisation: based on available data, the classification criteria are not met.

(e) germ cell mutagenicity: based on available data, the classification criteria are not met.

(f) carcinogenicity: based on available data, the classification criteria are not met.

(g) reproductive toxicity: based on available data, the classification criteria are not met.

(h) specific target organ toxicity (STOT) single exposure: based on available data, the classification criteria are not met.

(i) specific target organ toxicity (STOT) repeated exposure based on available data, the classification criteria are not met.

(j) aspiration hazard: based on available data, the classification criteria are not met.

Related to contained substances:

Ethanol:

LD50 (rat) Oral (mg/kg body weight) = 14000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 20000

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 20000

linalool:

LD50 (rat) Oral (mg/kg body weight) = 2790

(R)-p-mentha-1,8-diene (=Limonene):

LD50 (rat) Oral (mg/kg body weight) = 2000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

α-Methyl-1,3-benzodioxole-5-propionaldehyde:

LD50 (rat) Oral (mg/kg body weight) = 3600

LD50 Dermal (rat or rabbit) (mg/kg body weight) > 2000

(Z)-3-hexenyl salicylate:

LD50 (rat) Oral (mg/kg body weight) = 2500

LD50 Dermal (rat or rabbit) (mg/kg body weight) > 5000

1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one (=Tetramethyl acyloctahydronaphthalenes):

LD50 (rat) Oral (mg/kg body weight) > 5000  
LD50 Dermal (rat or rabbit) (mg/kg body weight) > 5000

## **11.2. Information on other hazards**

No data available.

### **11.2.1. Endocrine disrupting properties**

Based on available data, there are no substances that interfere with the Endocrine System in accordance with Regulation (EU) 2017/2100

## **SECTION12. Ecological information**

### **12.1. Toxicity**

1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8,-tetramethyl-2-naphthyl)ethan-1-one (=Tetramethyl acetyl octahydronaphthalenes):

Related to contained substances:

(Z)-3-hexenyl salicylate:

C(E)L50 (mg/l) = 2,07

1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8,-tetramethyl-2-naphthyl)ethan-1-one (=Tetramethyl acetyl octahydronaphthalenes):

C(E)L50 (mg/l) = 1,3

NOEC (mg/l) = 2,6

The product is dangerous for the environment as it is toxic for aquatic organisms following acute exposure.

Use according to good working practices to avoid pollution into the environment.

### **12.2. Persistence and degradability**

No data available.

### **12.3. Bioaccumulative potential**

No data available.

### **12.4. Mobility in soil**

No data available.

### **12.5. Results of PBT and vPvB assessment**

Based on the available data, no PBT or vPvB substances are present in accordance with Regulation (EC) 1907/2006, annex XIII

### **12.6. Endocrine disrupting properties**

Based on available data, there are no substances that interfere with the Endocrine System in accordance with Regulation (EU) 2017/2100

### **12.7. Other adverse effects**

No adverse effects

## **SECTION13. Disposal considerations**

### **13.1. Waste treatment methods**

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies. Recover if possible. Send to authorized discharge plants or for incineration under controlled conditions. Operate according to local and National rules in force

## **SECTION14. Transport information**

### **14.1. UN number or ID number**

ADR/RID/IMDG/ICAO-IATA: 1266



ADR exemption because compliance with the following characteristics:

Combination packagings: per inner packaging 5 L per package 30 kg

Inner packagings placed in skrink-wrapped or stretch-wrapped trays: per inner packaging 5 L per package 20 kg

### **14.2. UN proper shipping name**

ADR/RID/IMDG: PRODOTTI PER PROFUMERIA contenenti solventi infiammabili

ADR/RID/IMDG: PERFUMERY PRODUCTS with flammable solvents

ICAO-IATA: PERFUMERY PRODUCTS with flammable solvents

### **14.3. Transport hazard class(es)**

ADR/RID/IMDG/ICAO-IATA: Class : 3

ADR/RID/IMDG/ICAO-IATA: Label : Limited quantities

ADR: Tunnel restriction code : D/E

ADR/RID/IMDG/ICAO-IATA: Limited quantities : 5 L

IMDG - EmS : F-E, S-D

### **14.4. Packing group**

ADR/RID/IMDG/ICAO-IATA: II

### **14.5. Environmental hazards**

ADR/RID/ICAO-IATA: Product is not environmentally hazardous

IMDG: Marine polluting agent : Not

### **14.6. Special precautions for user**

No data available.

### **14.7. Maritime transport in bulk according to IMO instruments**

It is not intended to carry bulk

## **SECTION15. Regulatory information**

### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso category:

P5c - FLAMMABLE LIQUIDS

REGULATION (EU) No 1357/2014 - waste:

HP3 - Flammable

HP4 - Irritant — skin irritation and eye damage

HP14 - Ecotoxic

Substances in the Candidate List (REACH Article 59)  
Based on available data, no SVHC substances are present

### **15.2. Chemical safety assessment**

No chemical safety assessment was carried out by the supplier

## **SECTION16. Other information**

### **16.1. Other information**

Description of the hazard statements exposed to point 3  
H225 = Highly flammable liquid and vapour.  
H319 = Causes serious eye irritation.  
H315 = Causes skin irritation.  
H317 = May cause an allergic skin reaction.  
H226 = Flammable liquid and vapour.  
H304 = May be fatal if swallowed and enters airways.  
H400 = Very toxic to aquatic life.  
H410 = Very toxic to aquatic life with long lasting effects.  
H361 = Suspected of damaging fertility or the unborn child .  
H411 = Toxic to aquatic life with long lasting effects.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008

H225 - Highly flammable liquid and vapour. Classification procedure: On basis of test data  
H319 - Causes serious eye irritation. Classification procedure: Calculation method  
H412 - Harmful to aquatic life with long lasting effects. Classification procedure: Calculation method