

SECTION1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product code : TESORI D'ORIENTE AYURVEDA AROMATIC SCENT BOOSTER

Trades code :

UFI: 6X00-H06R-V004-X8G9

1.2. Relevant identified uses of the substance or mixture and uses advised against

Whashing Machine Laundry Product

Sectors of use:

Private households (= general public = consumers)[SU21]

Uses advised against

Do not use for purposes other than those listed

1.3. Details of the supplier of the safety data sheet

SODALIS ITALY SRL

Via Solferino, 7 - 20121 Milano (MI), Italy

Tel. +39 0371.4621

e-mail : info@sodalisgroup.com

SITO WEB : <https://sodalisgroup.com/>

1.4. Emergency telephone number

+39 0371.4621 (8:00 - 18:00)

<https://poisoncentres.echa.europa.eu/appointed-bodies>

SECTION2. Hazards identification

2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:

GHS07, GHS09

Hazard Class and Category Code(s):

Skin Sens. 1, Eye Irrit. 2, Aquatic Chronic 2

Hazard statement Code(s):

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H411 - Toxic to aquatic life with long lasting effects.

If brought into contact with eyes, the product, causes significant irritations which may last for more than 24 hours.

The product, if brought into contact with skin can cause skin sensitization.

The product is dangerous to the environment as it is toxic to aquatic life with long lasting effects

2.1.2 Additional information:

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:



Pictogram, Signal Word Code(s):
GHS07, GHS09 - Warning

Hazard statement Code(s):
H317 - May cause an allergic skin reaction.
H319 - Causes serious eye irritation.
H411 - Toxic to aquatic life with long lasting effects.

Supplemental Hazard statement Code(s):
not applicable

Precautionary statements:

General

P101 - If medical advice is needed, have product container or label at hand.
P102 - Keep out of reach of children.

Prevention

P273 - Avoid release to the environment.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P391 - Collect spillage.

Disposal

P501 - Dispose of contents/container in conformity to local regulation

Contains:

α-hexylcinnamaldehyde, Hexyl Salicylate, Benzyl salicylate, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, 3,7-dimethyloctan-3-ol, 3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one, 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, 3-p-cumenyl-2-methylpropionaldehyde, Linalyl acetate, 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, (R)-p-mentha-1,8-diene, 3-(4-tert-Butylphenyl)propionaldehyde, α-Methyl-1,3-benzodioxole-5-propionaldehyde, citral, Geranyl acetate.

Contains (Reg. EC 648/2004):

>= 15% < 30% non-ionic surfactants, perfumes (Hexyl Cinnamal, Hexamethylindanopyran, Benzyl salicylate, Tetramethyl acetoxyoctahydronaphthalenes, Alpha-Isomethyl Ionone, Linalyl acetate, Limonene, citral, Geranyl acetate, Beta-Caryophyllene, linalool, Rose Ketones, Pinenes, Citrus Aurantium Amara Peel Oil, Eucalyptus Globulus Oil, Citrus Limon Peel Oil, Pogostemon Cablin oil)

UFI: 6X00-H06R-V004-X8G9

2.3. Other hazards

Based on the available data, no PBT or vPvB substances are present in accordance with Regulation (EC) 1907/2006, annex XIII

Based on available data, there are no substances that interfere with the Endocrine System in accordance with Regulation (EU) 2017/2100

No information on other hazards

SECTION3. Composition/information on ingredients

3.1 Substances

Irrilevant

3.2 Mixtures

Substance	Concentration[w/w]	Classification	Index	CAS	EINECS	REACH
Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, branched	>= 5 < 10%	Acute Tox. 4, H302; Eye Irrit. 2, H319 Limits: Eye Dam. 1, H318 %C >10;	ND	69011-36-5	931-138-8	ND
α-hexylcinnamaldehyde (=Hexyl Cinnamal)	>= 1 < 5%	Skin Sens. 1B, H317; Aquatic Acute 1, H400; Aquatic Chronic 2, H411 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1	ND	101-86-0	202-983-3	ND
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylinden[5,6-c]pyran (=Hexamethylindanopyran)	>= 1 < 5%	Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1 ATE oral > 5.000,000 mg/kg ATE dermal > 5.000,000 mg/kg	603-212-00-7	1222-05-5	214-946-9	01-2119488 227-29-xxxx
A mixture of: cis-tetrahydro-2-isobutyl-4-methyl pyran-4-ol; trans-tetrahydro-2-isobutyl-4-methylpyran-4-ol	>= 1 < 5%	Eye Irrit. 2, H319 ATE oral > 5.000,000 mg/kg ATE dermal > 2.000,000 mg/kg	ND	63500-71-0	405-040-6	1-00000154 58-64
Isotridecanol, ethoxylated	>= 1 < 3,00%	Acute Tox. 4, H302; Eye Dam. 1, H318	ND	69011-36-5	500-241-6	ND
Benzyl salicylate	>= 0,1 < 1%	Skin Sens. 1B, H317; Eye Irrit. 2, H319; Aquatic Chronic 3, H412 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1 ATE oral = 2.200,000 mg/kg	ND	118-58-1	204-262-9	01-2119969 442-31-XXX X
Hexyl Salicylate	>= 0,1 < 1%	Skin Sens. 1B, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1 ATE oral > 5.000,000 mg/kg ATE dermal > 5.000,000 mg/kg	ND	6259-76-3	228-408-6	01-2119638 275-36-XXX X

In conformity to Regulation (EU) 2020/878

Substance	Concentration[w/w]	Classification	Index	CAS	EINECS	REACH
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,-tetramethyl-2-naphthyl)ethan-1-one (=Tetramethyl acetyloctahydronaphthalenes)	>= 0,1 < 1%	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 1, H410 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1 ATE oral > 5.000,000 mg/kg ATE dermal > 5.000,000 mg/kg	ND	54464-57-2	259-174-3	01-2119489 989-04-000 0
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one (=Alpha-Isomethyl Ionone)	>= 0,1 < 1%	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 2, H411 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1	ND	127-51-5	204-846-3	01-2120745 133-63-000 0
3,7-dimethyloctan-3-ol	>= 0,1 < 1%	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Irrit. 2, H319 ATE oral = 8.270,000 mg/kg ATE dermal > 5.000,000 mg/kg	ND	78-69-3	201-133-9	01-2119454 788-21-000 X
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	>= 0,1 < 1%	Acute Tox. 4, H302; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1 ATE oral = 1.000,000 mg/kg	ND	1506-02-1	216-133-4	01-2119539 433-40-000 X
1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one (=Tetramethyl acetyloctahydronaphthalenes)	>= 0,1 < 1%	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 1, H410 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1	ND	68155-66-8	268-978-3	01-2119489 989-XX
3-p-cumanyl-2-methylpropionaldehyde	>= 0,1 < 1%	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 3, H412 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1	ND	103-95-7	203-161-7	01-2119970 582-32-000 0
Linalyl acetate	>= 0,1 < 1%	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Irrit. 2, H319	ND	115-95-7	204-116-4	01-2119454 789-19
1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one (=Tetramethyl acetyloctahydronaphthalenes)	>= 0,1 < 1%	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 1, H410 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1	ND	68155-67-9	268-979-9	ND
(R)-p-mentha-1,8-diene	>= 0,1 < 1%	Flam. Liq. 3, H226;	601-029-00-7	5989-27-5	227-813-5	01-211952

Substance	Concentration[w/w]	Classification	Index	CAS	EINECS	REACH
(=Limonene)		Asp. Tox. 1, H304; Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1 ATE oral = 2.000,000 mg/kg ATE dermal = 5.000,000 mg/kg				9223-47-XX XX
3-(4-tert-Butylphenyl)propionaldehyde	>= 0,10 < 1%	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Repr. 2, H361; STOT RE 2, H373; Aquatic Chronic 3, H412 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1	ND	18127-01-0	ND	ND
α-Methyl-1,3-benzodioxole-5-propionaldehyde	>= 0,10 < 1%	Skin Sens. 1B, H317; Repr. 2, H361; Aquatic Chronic 2, H411 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1 ATE oral = 3.600,000 mg/kg ATE dermal > 2.000,000 mg/kg	ND	1205-17-0	214-881-6	01-2120740 119-58-xxxx
citral	>= 0,1 < 1%	Skin Irrit. 2, H315; Skin Sens. 1, H317; Eye Irrit. 2, H319	605-019-00-3	5392-40-5	226-394-6	01-2119462 829-23-xxxx
Geranyl acetate	>= 0,1 < 1%	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 3, H412 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1	ND	105-87-3	203-341-5	01-2119973 480-35-XXX X
1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one (=Rose Ketones)	< 0,1%	Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1A, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1 ATE oral = 1.400,000 mg/kg	ND	57378-68-4	260-709-8	01-2119535 122-53-xxxx

SECTION4. First aid measures

4.1. Description of first aid measures

Inhalation:

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

Direct contact with skin (of the pure product).:

Take contaminated clothing Immediately off.

Wash immediately with plenty of running water and possibly with soap, the areas of the body that have, or are only suspected to have, come in contact with the product.

In case of contact with skin, wash immediately with water and soap.

Warning: This product is toxic to skin contact. Consult a physician.

Direct contact with eyes (of the pure product).:

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately

Do not use eye drops or ointments of any kind before the examination or advice from an oculist.

Ingestion:

Not hazardous. It's possible to give activated charcoal in water or liquid paraffin medicine

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

If medical advice is needed, have product container or label at hand.

SECTION5. Firefighting measures

5.1. Extinguishing media

Advised extinguishing agents:

Water spray, CO2, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing means to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

5.2. Special hazards arising from the substance or mixture

No data available.

5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective suit.

The spray water can be used to protect the people involved in the extinction

You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

SECTION6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

Wear mask, gloves and protective clothing.

6.1.2 For emergency responders:

Wear mask, gloves and protective clothing.
Eliminate all unguarded flames and possible sources of ignition. No smoking.
Provision of sufficient ventilation.
Evacuate the danger area and, in case, consult an expert.

6.2. Environmental precautions

Contain spill with earth or sand.
If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the the authorities.
Discharge the remains in compliance with the regulations

6.3. Methods and material for containment and cleaning up

6.3.1 For containment:

Rapidly recover the product, wear a mask and protective clothing
Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material.
Prevent it from entering the sewer system.

6.3.2 For cleaning up:

To clean the floor and all objects contaminated by this material use inert adsorbent material and water.
After wiping up, wash with water the area and materials involved

6.3.3 Other information:

None in particular.

6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

SECTION7. Handling and storage

7.1. Precautions for safe handling

Avoid contact and inhalation of vapors
Wear protective gloves/protective clothing/eye protection/face protection.
In residential areas do not use on large surfaces.
At work do not eat or drink.
Contaminated work clothing should not be allowed out of the workplace.
See also paragraph 8 below.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabeled containers.
Keep containers upright and safe by avoiding the possibility of falls or collisions.
Store in a cool place, away from sources of heat and direct exposure of sunlight.

7.3. Specific end use(s)

Private households (= general public = consumers):
STORE IN A COOL, DRY PLACE PROTECTED FROM LIGHT AND HEAT SOURCE

SECTION8. Exposure controls/personal protection

8.1. Control parameters

- Substance: A mixture of: cis-tetrahydro-2-isobutyl-4-methylpyran-4-ol; trans-tetrahydro-2-isobutyl-4-methylpyran-4-ol
DNEL
Systemic effects Long term Workers inhalation = 12,2 (mg/m3)
Systemic effects Long term Workers dermal = 3,47 (mg/kg bw/day)
Systemic effects Long term Consumers inhalation = 3,62 (mg/m3)

Systemic effects Long term Consumers dermal = 2,08 (mg/kg bw/day)
Systemic effects Long term Consumers oral = 1,04 (mg/kg bw/day)

- Substance: 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8,-tetramethyl-2-naphthyl)ethan-1-one (=Tetramethyl acetylloctahydronaphthalenes)

DNEL

Systemic effects Long term Workers inhalation = 1,76 (mg/m3)

Systemic effects Long term Workers dermal = 1,73 (mg/kg bw/day)

Systemic effects Long term Consumers inhalation = 0,43 (mg/m3)

Systemic effects Long term Consumers dermal = 0,86 (mg/kg bw/day)

Systemic effects Long term Consumers oral = 0,25 (mg/kg bw/day)

- Substance: 3,7-dimethyloctan-3-ol

DNEL

Systemic effects Long term Workers inhalation = 11,14 (mg/m3)

Systemic effects Long term Workers dermal = 3,16 (mg/kg bw/day)

Systemic effects Long term Consumers inhalation = 2,75 (mg/m3)

Systemic effects Long term Consumers dermal = 1,58 (mg/kg bw/day)

Systemic effects Long term Consumers oral = 1,58 (mg/kg bw/day)

Local effects Long term Workers dermal = 0,19 (mg/kg bw/day)

Local effects Long term Consumers dermal = 0,19 (mg/kg bw/day)

8.2. Exposure controls



Appropriate engineering controls:

Private households (= general public = consumers):

None

Individual protection measures:

(a) Eye / face protection

When handling the pure product use safety glasses (spectacles cage) (EN 166).

(b) Skin protection

(i) Hand protection

When handling the pure product use chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3)

(ii) Other

When handling the pure product wear full protective skin clothing.

(c) Respiratory protection

Not needed for normal use.

(d) Thermal hazards

No hazard to report

Environmental exposure controls:

Use according to good working practices to avoid pollution into the environment.

SECTION9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Physical state	Clear liquid	
Colour	from colourless to yellowish	
Odour	characteristic	
Odour threshold	not determined	
Melting point/freezing point	not determined	
Boiling point or initial boiling point and boiling range	irrelevant	
Flammability	not determined	
Lower and upper explosion limit	not determined	
Flash point	not determined	ASTM D92
Auto-ignition temperature	not determined	
Decomposition temperature	irrelevant	
pH	5.80 - 6.50	
Kinematic viscosity	not determined	
Solubility	non determinato	
Water solubility	non determinato	
Partition coefficient n-octanol/water (log value)	not determined	
Vapour pressure	not determined	
Density and/or relative density	not determined	
Relative vapour density	1.02 g/ml	
Particle characteristics	not determined	

9.2. Other information

9.2.1 Information with regard to physical hazard classes

a) Explosives

- i) sensitivity to shock
Irrelevant
- ii) effect of heating under confinement
Irrelevant
- iii) effect of ignition under confinement
Irrelevant
- iv) sensitivity to impact
Irrelevant
- v) sensitivity to friction
Irrelevant
- vi) thermal stability
Irrelevant
- vii) package

Irrilevant

b) Flammable gases

i) Tci / explosion limits

Irrilevant

ii) fundamental burning velocity

Irrilevant

c) Aerosols

Irrilevant

d) Oxidising gases

Irrilevant

e) Gases under pressure

Irrilevant

f) Flammable liquids

Irrilevant

g) Flammable solids

i) burning rate, or burning time as regards metal powders

Irrilevant

ii) statement on whether the wetted zone has been passed

Irrilevant

h) Self-reactive substances and mixtures

i) decomposition temperature

Irrilevant

ii) detonation properties

Irrilevant

iii) deflagration properties

Irrilevant

iv) effect of heating under confinement

Irrilevant

v) explosive power, if applicable

Irrilevant

i) Pyrophoric liquids

Irrilevant

j) Pyrophoric solids

i) statement on whether spontaneous ignition occurs when poured or within five minutes thereafter, as regards solids in powder form

Irrilevant

ii) statement on whether pyrophoric properties could change over time

Irrilevant

k) Self-heating substances and mixtures

- i) statement on whether spontaneous ignition occurs and the maximum temperature rise obtained
Irrelevant
- ii) results of screening tests referred to in section 2.11.4.2 of Annex I to Regulation (EC) No 1272/2008, if relevant and available
Irrelevant

l) Substances and mixtures, which emit flammable gases in contact with water. The following information may be provided

- i) identity of the emitted gas, if known
Irrelevant
- ii) statement on whether the emitted gas ignites spontaneously
Irrelevant
- iii) gas evolution rate
Irrelevant

m) Oxidising liquids
Irrelevant

n) Oxidizing solids
Irrelevant

o) Organic peroxides

- i) decomposition temperature
Irrelevant
- ii) detonation properties
Irrelevant
- iii) deflagration properties
Irrelevant
- iv) effect of heating under confinement
Irrelevant
- v) explosive power
Irrelevant

p) Corrosive to metals

- i) metals that are corroded by the substance or mixture
Irrelevant
- ii) corrosion rate and statement on whether it refers to steel or aluminium
Irrelevant
- iii) reference to other sections of the safety data sheet with regard to compatible or incompatible materials
Irrelevant

q) Desensitised explosives

- i) desensitising agent used
Irrelevant

- ii) exothermic decomposition energy
Irrelevant
- iii) corrected burning rate (Ac)
Irrelevant
- iv) explosive properties of the desensitised explosive in that state
Irrelevant

9.2.2 Other safety characteristics

- a) mechanical sensitivity
Irrelevant
- b) self-accelerating polymerisation temperature
Irrelevant
- c) formation of explosive dust/air mixtures
Irrelevant
- d) acid/alkaline reserve
Irrelevant
- e) evaporation rate
Irrelevant
- f) miscibility
Irrelevant
- g) conductivity
Irrelevant
- h) corrosiveness
Irrelevant
- i) gas group
Irrelevant
- j) redox potential
Irrelevant
- k) radical formation potential
Irrelevant
- l) photocatalytic properties
Irrelevant

SECTION10. Stability and reactivity

10.1. Reactivity

No reactivity hazards

10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

10.3. Possibility of hazardous reactions

There are no hazardous reactions

10.4. Conditions to avoid

Nothing to report

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

SECTION11. Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

ATE(mix) oral = 4.420,9 mg/kg

ATE(mix) dermal = ∞

ATE(mix) inhal = ∞

- (a) acute toxicity: based on available data, the classification criteria are not met.
- (b) skin corrosion/irritation: based on available data, the classification criteria are not met.
- (c) serious eye damage/irritation: If brought into contact with eyes, the product, causes significant irritations which may last for more than 24 hours.
- (d) respiratory or skin sensitisation: The product, if brought into contact with skin can cause skin sensitization.
- (e) germ cell mutagenicity: based on available data, the classification criteria are not met.
- (f) carcinogenicity: based on available data, the classification criteria are not met.
- (g) reproductive toxicity: based on available data, the classification criteria are not met.
- (h) specific target organ toxicity (STOT) single exposure: based on available data, the classification criteria are not met.
- (i) specific target organ toxicity (STOT) repeated exposure based on available data, the classification criteria are not met.
- (j) aspiration hazard: based on available data, the classification criteria are not met.

Related to contained substances:

1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (=Hexamethylindanopyran):

LD50 (rat) Oral (mg/kg body weight) > 5000

LD50 Dermal (rat or rabbit) (mg/kg body weight) > 5000

A mixture of: cis-tetrahydro-2-isobutyl-4-methylpyran-4-ol; trans-tetrahydro-2-isobutyl-4-methylpyran-4-ol:

LD50 (rat) Oral (mg/kg body weight) > 5000

LD50 Dermal (rat or rabbit) (mg/kg body weight) > 2000

Benzyl salicylate:

LD50 (rat) Oral (mg/kg body weight) = 2200

Hexyl Salicylate:

LD50 (rat) Oral (mg/kg body weight) > 5000

LD50 Dermal (rat or rabbit) (mg/kg body weight) > 5000

1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8,-tetramethyl-2-naphthyl)ethan-1-one (=Tetramethyl acetyloctahydronaphthalenes):

LD50 (rat) Oral (mg/kg body weight) > 5000

LD50 Dermal (rat or rabbit) (mg/kg body weight) > 5000

3,7-dimethyloctan-3-ol:

LD50 (rat) Oral (mg/kg body weight) = 8270

LD50 Dermal (rat or rabbit) (mg/kg body weight) > 5000

1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one:

LD50 (rat) Oral (mg/kg body weight) = 1000

(R)-p-mentha-1,8-diene (=Limonene):

LD50 (rat) Oral (mg/kg body weight) = 2000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

α -Methyl-1,3-benzodioxole-5-propionaldehyde:

LD50 (rat) Oral (mg/kg body weight) = 3600

LD50 Dermal (rat or rabbit) (mg/kg body weight) > 2000

1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one (=Rose Ketones):

LD50 (rat) Oral (mg/kg body weight) = 1400

11.2. Information on other hazards

No data available.

11.2.1. Endocrine disrupting properties

Based on available data, there are no substances that interfere with the Endocrine System in accordance with Regulation (EU) 2017/2100

SECTION12. Ecological information

12.1. Toxicity

1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8,-tetramethyl-2-naphthyl)ethan-1-one (=Tetramethyl acetyloctahydronaphthalenes):

Related to contained substances:

A mixture of: cis-tetrahydro-2-isobutyl-4-methylpyran-4-ol; trans-tetrahydro-2-isobutyl-4-methylpyran-4-ol:

C(E)L50 (mg/l) = 354

1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8,-tetramethyl-2-naphthyl)ethan-1-one (=Tetramethyl acetyloctahydronaphthalenes):

C(E)L50 (mg/l) = 1,3

NOEC (mg/l) = 2,6

3,7-dimethyloctan-3-ol:

C(E)L50 (mg/l) = 8,9

The product is dangerous for the environment as it is toxic to aquatic organisms following acute exposure.

Use according to good working practices to avoid pollution into the environment.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

Based on the available data, no PBT or vPvB substances are present in accordance with Regulation (EC) 1907/2006, annex XIII

12.6. Endocrine disrupting properties

Based on available data, there are no substances that interfere with the Endocrine System in accordance with Regulation (EU) 2017/2100

12.7. Other adverse effects

No adverse effects

SECTION13. Disposal considerations

13.1. Waste treatment methods


Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.

Recover if possible. Send to authorized discharge plants or for incineration under controlled conditions. Operate according to local and National rules in force

SECTION14. Transport information

14.1. UN number or ID number

ADR/RID/IMDG/ICAO-IATA: 3082



ADR exemption because compliance with the following characteristics:

Combination packagings: per inner packaging 5 L per package 30 kg

Inner packagings placed in skrink-wrapped or stretch-wrapped trays: per inner packaging 5 L per package 20 kg

14.2. UN proper shipping name

ADR/RID/IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl Cinnamal)
ICAO-IATA: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Hexyl Cinnamal)

14.3. Transport hazard class(es)

ADR/RID/IMDG/ICAO-IATA: Class : 9

ADR/RID/IMDG/ICAO-IATA: Label : Limited quantities

ADR: Tunnel restriction code : --

ADR/RID/IMDG/ICAO-IATA: Limited quantities : 5 L

IMDG - EmS : F-A, S-F

14.4. Packing group

ADR/RID/IMDG/ICAO-IATA: III

14.5. Environmental hazards

ADR/RID/ICAO-IATA: Product is environmentally hazardous
IMDG: Marine polluting agent : Yes

14.6. Special precautions for user

No data available.

14.7. Maritime transport in bulk according to IMO instruments

It is not intended to carry bulk

SECTION15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso category:
E2 - ENVIRONMENTAL HAZARDS

REGULATION (EU) No 1357/2014 - waste:
HP14 - Ecotoxic

Substances in the Candidate List (REACH Article 59)
Based on available data, no SVHC substances are present

15.2. Chemical safety assessment

No chemical safety assessment was carried out by the supplier

SECTION16. Other information

16.1. Other information

Description of the hazard statements exposed to point 3

H302 = Harmful if swallowed.

H319 = Causes serious eye irritation.

H317 = May cause an allergic skin reaction.

H400 = Very toxic to aquatic life.

H411 = Toxic to aquatic life with long lasting effects.

H410 = Very toxic to aquatic life with long lasting effects.

H318 = Causes serious eye damage.

H412 = Harmful to aquatic life with long lasting effects.

H315 = Causes skin irritation.

H226 = Flammable liquid and vapour.

H304 = May be fatal if swallowed and enters airways.

H361 = Suspected of damaging fertility or the unborn child .

H373 = May cause damage to organs through prolonged or repeated exposure .

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008

H317 - May cause an allergic skin reaction. Classification procedure: Calculation method

H319 - Causes serious eye irritation. Classification procedure: Calculation method

H411 - Toxic to aquatic life with long lasting effects. Classification procedure: Calculation method



SAFETY DATA SHEET

TESORI D'ORIENTE AYURVEDA AROMATIC SCENT BOOSTER

Issued on 06/08/2020 - Rel. # 4 on 02/05/2025

17 / 17

In conformity to Regulation (EU) 2020/878
